

## AQUEOUS BA500-- SMOOTH ROLL UP BANNER MATTE

1. 99.9% Block-out : Middle/Back double treated
2. Multi-layered by Double PP : enforced heat Resistant and Flatness

SMOOTH ROLL UP BANNER MATTE is matte, Polypropylene banner applicable for indoor and outdoor with lamination. Also it's high opacity blockout pp that express brilliant color reproduction. It has application for promotional roll-up, posters, points of sales, trade show graphics. It has high image quality along with durability, tear-resistancy, and anti-curl properties. Additionally, cost effectiveness will be great solution for you. This product requires three main things to be a professional banner: the great color representation, anti-curl and reducing light or reflections on the printed surface. These features with laminating make the media of choice for the most demanding of applications.

### APPLICATION

High resolution graphics, banners,  
 POP displays, roll-up, posters, exhibitions


### SPECIFICATION

Caliper weight	200 micron (8.0 mil) 150g
Base material	PP Multi-layered
Surface	Matte
Width	36", 50", 60"
Length	30m (100 ft)
Core	2"

### COMPATIBILITY

(★ Excellent, ◎ Very good, ○ Good, △ Fair, X Not good)

#### Ink Compatibility



#### Printer Compatibility

All kinds of water based printers

### TECHNICAL DATA

Caliper	200 micron	ASTM D645
Gloss	60° : 3.0 / 85° : 5.0	ASTM D2457
L.a.b	85 / 1.5 / -8	ANSI T (D50/2°/Abs/No)

### GUIDELINES

#### Printing Tip

Suitable printing condition: Temperature 15~30°C(59~86°F) / Humidity 30~60%  
 Use care in handling printed material, surface susceptible to abrasion  
 To optimize the printing quality, printer need to be set for highest print quality.

#### Lamination:

Lamination is optional. In order to protect the image from physical damage and to decrease image-fading, overlaminates is recommended.

#### Storage:

It is recommended to store in the closed original packing in a cool and dry environment  
 Temperature 10°~25°C (50°~77°F), Relative Humidity 50% RH

#### Shelf Life:

One year stored in original package in recommended condition

Information provided here is subject to our test criteria and subject to change without prior notice. No media warranty is implied. All material should be tested by purchaser to determine final suitability. Printer and ink change may affect results.